



FitzWright Survival Inc

MARINE SAFETY CATALOG



**PROTECTING LIVES AND THE
ENVIRONMENT, TOGETHER**



Bilge Boom.....	44	Personal Floatation Device (PFD)	13, 18
Davit Release Hooks.....	30	Personal Locator Beacons (PLB)	17
Davits.....	28, 29	Pyrotechnics, Commercial	9, 10, 14
Day Shapes	23	Reboarding Devices.....	35
Emergency Escape Breathing Device (EEBD).....	22	Recovery Devices	33, 34
Emergency Position-Indicating Radio Beacon (EPIRB).....	15	Rescue Boats	24, 25, 26
Fire Fighting Equipment	22	SARTs.....	15
Flares	9, 10	Signs, IMO.....	23
Fuel Treatments.....	43	Sorbents.....	45, 46
Helmets.....	20, 21	Survival Equipment	7
Helmsman Chairs	42	Tape, Anti-Corrosion	44
Hydrostatic Release Unit.....	8, 16	Tape, Reflective	13
Immersion Suits	12	Tape, Sealing.....	44
Lifeboats	27	Training Dummies.....	36
Lifebuoys.....	14, 19	Transport Baskets	37, 38
Lifebuoy, Lights	14	Ventilation Systems	42
Lifejackets.....	13	Vessel Maintenance.....	44
Lifejacket Lights	13	Whistles	14
Liferafts.....	3		
Liferafts, Davit.....	4		
Liferafts, Platform	4		
Liferafts, Pleasure Craft	6		
Line Throwers	9, 11		
Man Overboard Device	14, 17		
Marine Evacuation Systems (MES)	31, 32		

INFLATABLE LIFERAFTS

- Proudly assembled in Canada
- For use on all types of commercial vessels
- Made of durable, rubber composite material
- Transport Canada & SOLAS Approved
- Round and Flat GRP protective container
- Equipment Packs: SOLAS Pack A or SOLAS Pack B
- High Visibility Canopy with SOLAS reflective tape



AFTER SALES SERVICE

Liferafts on commercial vessels must be serviced annually. Our approved service stations stock spare parts to ensure that you can receive fast, convenient service at a service station that suits you.

We would be pleased to arrange service for your liferafts. Our facilities are audited and inspected by DNV, LR, TC and QMI.

**PLEASE CONTACT OUR SERVICE DEPARTMENT FOR
DETAILS OR TO BOOK YOUR SERVICE.
SERVICE@FITZWRIGHT.COM**

INFLATABLE LIFERAFT: ROUND-PACK CONTAINER

Part No.	Description
FW-LRS06-A	Liferaft, 6psn TC/SOLAS, Round - A Pack
FW-LRS08-A	Liferaft, 8psn TC/SOLAS, Round - A Pack
FW-LRS10-A	Liferaft, 10psn TC/SOLAS, Round - A Pack
FW-LRS12-A	Liferaft, 12psn TC/SOLAS Round - A Pack
FW-LRS16-A	Liferaft, 16psn TC/SOLAS, Round - A Pack
FW-LRS20-A	Liferaft, 20psn TC/SOLAS, Round - A Pack
FW-LRS25-A	Liferaft, 25psn TC/SOLAS, Round - A Pack

INFLATABLE LIFERAFT: FLAT-PACK CONTAINER

Part No.	Description
FW-LRL04-A	Liferaft, 4psn TC ^[1] , Flat - A Pack
FW-LRL06-A	Liferaft, 6psn TC/SOLAS, Flat - A Pack
FW-LRL08-A	Liferaft, 8psn TC/SOLAS, Flat - A Pack
FW-LRL10-A	Liferaft, 10psn TC/SOLAS, Flat - A Pack
FW-LRL12-A	Liferaft, 12psn TC/SOLAS, Flat - A Pack
FW-LRL16-A	Liferaft, 16psn TC/SOLAS, Flat - A Pack

[1] Non-Solas Reduced Capacity Liferaft

Available Pack Configurations

A PACK	C PACK
B PACK	COASTAL PACK

DAVIT-LAUNCHED LIFERAFTS

- Proudly assembled in Canada
- For use on all types of vessels utilizing davit launch systems
- Round GRP protective container with easy access Davit Hook Port.
- Made of durable, rubber composite material
- Transport Canada & SOLAS Approved
- High Visibility Canopy with SOLAS reflective tape



**PROUDLY
ASSEMBLED IN
CANADA**

INFLATABLE RESCUE PLATFORM LIFERAFTS

- Proudly assembled in Canada
- For use on all types of commercial vessels
- Standard Round GRP Protective Containers. Low Profile also Available upon special request.
- Made of durable, rubber composite material
- Transport Canada Approved
- High Visibility ballast bags with reflective tape



**FOR
RENT**
CALL FOR
DETAILS

INFLATABLE RESCUE PLATFORM LIFERAFTS:

Part No.	Description
FW-LPR22-C	Inflatable Rescue Platform, 22psn, Round ^[1] - C Pack
FW-LPR37-C	Inflatable Rescue Platform, 37psn, Round ^[1] - C Pack
FW-LPR45-C	Inflatable Rescue Platform, 45psn, Round ^[1] - C Pack
FW-LPR75-C	Inflatable Rescue Platform, 75psn, Round ^[1] - C Pack
FW-LPR99-C	Inflatable Rescue Platform, 99psn, Round ^[1] - C Pack

[1] Low Profile also Available upon special request.

DAVIT-LAUNCHED LIFERAFTS:

Part No.	Description
FW-LRD12-A	Liferaft, 12psn TC/SOLAS, Davit-Launched, Round - A Pack
FW-LRD16-A	Liferaft, 16psn TC/SOLAS, Davit-Launched, Round - A Pack
FW-LRD20-A	Liferaft, 20psn TC/SOLAS, Davit-Launched, Round - A Pack
FW-LRD25-A	Liferaft, 25psn TC/SOLAS, Davit-Launched, Round - A Pack

Available Pack Configurations

A PACK	C PACK
B PACK	COASTAL PACK

Available Pack Configurations

B PACK	COASTAL PACK
C PACK	



SAFETY BUNDLE

SMALL FISHING VESSEL SAFETY PACKAGES

Contact us to build a custom safety package tailored your customers needs

4-PERSON SAFETY PACKAGE	
Quantity	Description
1	4-Person Flat-pack Liferaft, Pack A
1	Aluminum Liferaft Cradle & Lashing
1	Hammar Hydrostatic Release Unit (HRU)
3	Immersion suits, Universal size
1	GPS EPIRB

6-PERSON SAFETY PACKAGE	
Quantity	Description
1	6-Person Flat or Round-pack Liferaft, Pack A
1	Aluminum Liferaft Cradle & Lashing
1	Hammar Hydrostatic Release Unit (HRU)
3	Immersion suits, Universal size
1	GPS EPIRB



FOR EITHER PACKAGE, CUSTOMERS MAY CHOOSE TO PURCHASE SIZE XL SUITS FOR AN ADDITIONAL FEE.



PLEASURE CRAFT LIFERAFTS

- Proudly assembled in Canada
- Perfect fit for Yachters, Racers, Recreational Cruisers, or some smaller inshore commercial vessels which may not be required to have a life raft, but want to improve their safety.
- Completely Race Ready
- Made of durable, rubber composite material
- High Visibility Canopy with reflective tape
- Flat low profile GRP protective container or Soft Sided Valise
- Certified according to ISO 9650 standard

ISO PLEASURE CRAFT LIFERAFTS

Part No.	Description
FW-LRY04-I-G	Liferaft, 4psn ISO, Container ^[1] - Pack I
FW-LRY06-I-G	Liferaft, 6psn ISO, Container ^[1] - Pack I
FW-LRY08-I-G	Liferaft, 8psn ISO, Container ^[1] - Pack I
FW-LRY10-I-G	Liferaft, 10psn ISO, Container ^[1] - Pack I

[1] Available in flat low profile GRP protective container or soft sided valise

ISO PLEASURE CRAFT LIFERAFTS

Part No.	Description
FW-LRY04-II-G	Liferaft, 4psn ISO, Container ^[1] - Pack II
FW-LRY06-II-G	Liferaft, 6psn ISO, Container ^[1] - Pack II
FW-LRY08-II-G	Liferaft, 8psn ISO, Container ^[1] - Pack II
FW-LRY10-II-G	Liferaft, 10psn ISO, Container ^[1] - Pack II

[1] Available in flat low profile GRP protective container or soft sided valise

Available Pack Configurations	Description
PACK I	Offshore Liferaft
PACK II	Inshore Liferaft



**FitzWright
Survival Inc.**

SURVIVAL EQUIPMENT



SAFETY EQUIPMENT

Survival Craft, such as Liferrafts (inflatable & rigid), Rescue Boats, and Life Boats must have their Survival Equipment checked regularly by the ships crew or inspectors.

Occasionally, it is required for equipment to be replaced in order for the Survival Craft to remain sea worthy and pass steamship Inspection.

Part No.	Description	Part No.	Description
CM-1631	Parachute Rocket (Red)	SS-BP007	Rescue Quoit w/ 30m Line
CM-1628	Hand Flare (Red)	SS-BP006	Floating Knife
CM-1920	Floating Smoke Signal	SS-BP011	Buoyant Bailer
DN-70-001A	Signaling Flashlight	SS-BP012	Sponge
FW-BP010	Signaling Mirror	SS-BP013	Sea Anchor with Line
SS-BP017	Radar Reflector	SS-BP022	Tin Opener
SS-BP020	Table of Life Saving Signals	BR-PA036	Whistle
GC-10072	Seven Oceans 1/2L Drinking Water	SS-BP024	Seasickness Bag
GC-10071	Seven Oceans 500G Ration	SS-BP023	Drinking Cup
SD-TABSS50	Seasick Tablets	SS-BP027	Survival Instructions
SD-TABACET500	Acetaminophen	HN-85601	Thermal Protective Aid TC/SOLAS
WA-F93P10088R	First Aid Kit (Liferaft)	DN-49-021-0650A	Liferaft External Light (RL6)
VK-1000312	First Aid Kit (Life/Rescue Boat)	DN-49-011A	Liferaft Internal Light & Battery (RL6)

HAMMAR H20 HYDROSTATIC RELEASE UNIT

The Hammar H20 is designed to fit liferafts of all shapes and sizes. The Hammar H20 needs no annual service, maintenance or spare parts.



MUST BE REPLACED AFTER TWO YEARS.

Part No.	Description
HM-HR-0200	Hammar HRU 4-12 Person
HM-H20HRU	Hammar HRU 6-150 Person

THANNER HYDROSTATIC RELEASE UNIT

Thanner Disposable Hydrostatic Release Unit (HRU) is approved to the new MED and SOLAS regulations together with ships wheel approval, USCG, TC and many others. The units are made from anodized aluminum and UV- resistant plastics to meet the tough requirements of the marine environment. The units operates independently of the life raft buoyancy and is approved for any size of life raft up to a buoyancy load of 1500kgs. All parts can be recycled and are made from non-toxic materials.



Part No.	Description
TH-DK2010	Thanner HRU 4 years

THANNER SERVICEABLE HYDROSTATIC RELEASE UNIT

Thanner Serviceable Hydrostatic Release Units are designed for heavy duty installations, reliable function, and no limited lifetime if serviced regularly. Service intervals follow the raft servicing. The units can be manually released and reset for continued service.



Part No.	Description
TH-DK84.1	Thanner HRU Serviceable

PARACHUTE ROCKET

The Parachute Signal Rocket is designed to withstand exceptional environmental exposure and to perform reliably even after immersion in water.



Part No.	Description
CM-1631	Red Parachute Rocket

HAND FLARE

For use in day and night. Short range distress signal used to pinpoint position.



Part No.	Description
CM-1628/PW-52905	Red Hand Flare

MOB LIGHT & SMOKE SIGNAL WITH BRACKET

Produces dense orange smoke for 15 minutes and 2 LED lights burn at 2 candela for 2 hours minimum. Signals location of a man overboard by day or night.



Part No.	Description
CM-1816	MOB Light & Smoke Signal

FREE FLARE DISPOSAL

We will dispose of any brand of Marine Pyrotechnic Device **FOR FREE** with the purchase of equal quantity of Comet or Pains Wessex brand Marine Pyrotechnic.

SMOKE SIGNAL

Comet Smoke Signal Orange is a small and compact distress signal for daylight use only. Signal for position marking during rescue operations. Indicates wind direction. Safe to use on oil or petrol covered water.



Part No.	Description
CM-1920	Orange Smoke Signal

LINE THROWER 250

The Comet Line Thrower 250 is designed for ease of operation in the most extreme weather conditions. It can be used in all situations where a line is required to be passed accurately and quickly.



Part No.	Description
CM-1605	Line Thrower Body & Line
PW-50081	Line Throwing Rocket
CM-1604	Line Throwing Device Complete

WATERTIGHT CONTAINER

Rugged, buoyant containers, ideal for storing distress signals. Can be easily picked up in an emergency.



Part No.	Description
CM-1280	Watertight Container

PARACHUTE ROCKET

The Parachute Signal Rocket is designed to withstand exceptional environmental exposure and to perform reliably even after immersion in water.



Part No.	Description
PW-50636	Red Parachute Rocket

HAND FLARE

For use in day and night. Short range distress signal used to pinpoint position.



Part No.	Description
PW-52905	Red Hand Flare

FREE FLARE DISPOSAL

We will dispose of any brand of Marine Pyrotechnic Device **FOR FREE** with the purchase of equal quantity of Comet or Pains Wessex brand Marine Pyrotechnic.

SMOKE SIGNAL

Comet Smoke Signal Orange is a small and compact distress signal for daylight use only. Signal for position marking during rescue operations. Indicates wind direction. Safe to use on oil or petrol covered water.



Part No.	Description
PW-53700	Orange Smoke Signal

LINE THROWER 250

The Comet Line Thrower 250 is designed for ease of operation in the most extreme weather conditions. It can be used in all situations where a line is required to be passed accurately and quickly.



Part No.	Description
PW-50070	Line Thrower Body & Line
PW-50081	Line Throwing Rocket
PW-50200	Line Throwing Device Complete

WATERTIGHT CONTAINER

Rugged, buoyant containers, ideal for storing distress signals. Can be easily picked up in an emergency.



Part No.	Description
PW-56800	Watertight Container

12GA FLARE GUN KIT

The kit includes a durable, easy use pistol and 6 red cartridges. It is packaged in a durable, water resistant compact case with two thumb latches and a convenient carry handle.



Part No.	Description
CM-1774KIT	12GA Flare Gun Kit, Type B, with case
CM-1774KIT1	12GA Flare Gun Kit, Type B Blister
CM-1774	Replacement 12GA Cartridge, Type B Twin Star

SKY-LITE AERIAL FLARE

Compact leisure rocket with 2 free-falling red stars. For use in day and night long range distress signal situations.



Part No.	Description
CM-1228	Sky-lite, Type B Aerial Flare
CM-1228-3PK	Sky-lite, Type B 3-Pack
CM-1228-6PK	Sky-lite, Type B 6-Pack

ILLUMINATION ROCKET

A day or night collision warning signal, or used at night to illuminate areas for search and rescue operations.



Part No.	Description
CM-1237	Illumination Rocket

DAY & NIGHT SIGNAL

Compact, handheld distress signal consisting of a red flare at one end and an orange smoke in the other. Housed in a rugged, corrosion-resistant case. Compact, double-ended signal, ideal for personal use and in small craft, kayaks, windsurfers and aviation



Part No.	Description
PW-55970	Day & Night Signal

FREE FLARE DISPOSAL

We will dispose of any brand of Marine Pyrotechnic Device **FOR FREE** with the purchase of equal quantity of Comet or Pains Wessex brand Marine Pyrotechnic.

FitzWright Survival Inc PNEUMATIC LINE THROWERS

The PLT line thrower can be re-used, has no expiry-date, does not use explosives, and is rugged enough for use in all weather conditions.

RESTECH RESCUE 230 PLT®

The PLT® Rescue 230 meets the IMO SOLAS regulation 74/96.



There is no expiry-date which means it will stay on board for the life-time of



Part No.	Description	Distance
RT-2000	Restech Rescue 230 PLT	230 Meters

RESTECH RESCUE 150 PLT®

Ideal for quick response operations for standby or rescue vessels that uses the PLT® Launching unit.



Part No.	Description	Distance
RT-3000	Restech Rescue 150 PLT	150 Meters

RESTECH 150 PLT®

The 150 Projectile has a rubber tip to protect and minimize impact when landing. It is commonly used for medium range mooring operations and general line transfer. Depending on your line requirements the launching distance will vary.



Part No.	Description	Distance
RT-5000	Restech 150 PLT	140 Meters

RESTECH 75 PLT®

The PLT® 75 increases your safety zone for your equipment and personnel. It is commonly used in mooring, towing, ship to ship and general line transfer operations.



Part No.	Description	Distance
RT-6000	Restech 75 PLT	120 Meters

RESTECH SOLAS PLT®

The PLT® Solas set is our newest Pneumatic Line Thrower specifically made to comply with IMO SOLAS 74/96 regulations. For vessels only looking to comply with the regulation, the PLT® Solas set is the logical product to have.



Part No.	Description
	Restech SOLAS PLT

RESTECH MINI PLT®

The PLT® Mini is a light weight shoulder launched line thrower. It is very popular among users both at sea and on land, who requires a mobile line thrower.



Part No.	Description
RT-4000	Restech Mini PLT with case



**FitzWright
Survival Inc**

IMMERSION SUITS

FITZWRIGHT 9700 IMMERSION SUIT

- Soft, watertight face seal
- Redirected zipper to reduce chin abrasion and increase comfort
- Inflatable head support pillow
- Glove pockets on forearms of suit (Can also be used to store survival gear)
- Watertight wrist cuffs
- Tapered legs to minimize trapped air
- Integral boot tread for increased traction on stairs/ladders
- Optional Rescue Assist Harness
- Fabric chemically treated to resist flame
- Inspection Schedule. Every 2 years from the date of manufacture, then every year at 5 years

FOR RENT
CALL FOR DETAILS



GET YOURS SERVICED AT
**FitzWright
Survival Inc**

HANSEN SEAECO+ IMMERSION SUIT

- Buoyancy pillow ensures correct floating position and free-board
- Flame retardant 5 mm neoprene
- Lifting strap with stainless ring and carabine hook
- Easily donned, waterproof PU-zip
- Approved reflective patches
- Rubber soles for optimal grip on slippery surfaces
- Inspection Schedule. Every 3 years from the date of manufacture, then every year at 10 years



Part No.	Description
FW-9700-S	Fitzwright 9700 Immersion Suit Small
FW-9700-U	Fitzwright 9700 Immersion Suit Universal
FW-9700-J	Fitzwright 9700 Immersion Suit Jumbo

Part No.	Description
HN-83047-55290-M	Hansen SeaEco+ Med
HN-83047-55290-STD	Hansen SeaEco+ Universal
HN-83047-55290-XL	Hansen SeaEco+ Jumbo



**FitzWright
Survival Inc**

LIFEJACKETS & ACCESSORIES

FITZWRIGHT LIFEJACKET KEYHOLE TC/SOLAS

This basic block foam design makes storage easy and familiar to all who wear it. Articulated for multiple folding and storage configurations. Also increases comfort around the neck during wear.



CREWSAVER LIFEJACKET SEACREWSADER 275N

Suitable for abandonment purposes as well as extreme working situations, the Seacrewsader is designed for easy donning and comfort when working. The high buoyancy level provides added protection when heavy work gear and clothing is worn. Each of the two chambers is fitted with a 60g CO2 cylinder and 1.5 psi relief valve ensuring full buoyancy is achieved during single or double chamber inflation.



Part No.	Description
FW-L0147P3	FitzWright Lifejacket Keyhole Infant
FW-L0147P2	FitzWright Lifejacket Keyhole Child
FW-L0147C2	FitzWright Lifejacket Keyhole Adult

Part No.	Description
CS-1143-AUTO	Crewsaver Lifejacket Seacrewsader 275N

RETRO REFLECTIVE TAPE

Our tape has been specially designed for the marine and off-shore industry. It ensure long durability, high brightness and anti-delamination. All products are comprised of an encapsulated lens optical design that provides high reflectivity over a wide range of entrance angles, whether dry or wet.



FITZWRIGHT LIFEJACKET LIGHT

The light activates automatically when immersed in water and will remain lit once water activated. The light can be turned off manually if required by pressing the switch.



Part No.	Description
TM-3150A	Retro-Reflective Tape, SOLAS

Part No.	Description
FW-1360	FitzWright Lifejacket Light Auto W4-A

WHISTLE

Pealess whistle



Part No.	Description
BR-PA036	Whistle, SOLAS Approved



**FitzWright
Survival Inc**

LIFEBUOYS & LIFEBUOY LIGHTS

LIFEBUOY, 2.5KG/4.0KG

The FitzWright SOLAS Lifebuoy is manufactured from durable polyurethane filled foam. All rings are molded from high impact linear low-density polyethylene for superior life expectancy in the most severe environments. Buoyancy comes from buoyant foam core.



Part No.	Description
FW-L0203A1	Lifebuoy, 2.5kg
FW-L0203A2	Lifebuoy, 4.0kg
IM-LRB-3PT	Lifebuoy Bracket Aluminum
IM-LL30M	3/8" Buoyant Rope 30m

MOB LIGHT & SMOKE SIGNAL WITH BRACKET

Mounted in its steel bracket on each bridge wing attached to a lifebuoy. Signal can be mounted up to 56m above sea level. Produces dense orange smoke for 15 minutes and 2 LED lights burn at 2 candela for 2 hours minimum. Signals location of a man overboard by day or night.



Part No.	Description
CM-1816	MOB Light & Smoke Signal

L90 LIFEBUOY LIGHT

The L90 uses five alkaline batteries (batteries not included), offering a life of one year. Robust and reliable, the L90 is automatically activated after release.



Part No.	Description
DN-63-B301WB	L90 Lifebuoy Light
DN-63-4001	L90 Dome Replacement
DN-63-1000	L90 Bulb Replacement
DN-63-4003	L90 Bracket Replacement
DN-63-8005	L90 O-Ring Replacement
WI-BATT-D	D Cell Battery

L161 LIFEBUOY LIGHT

The L161 Lifebuoy Light is intrinsically safe (category 1) and as such is suitable for use in hazardous zones 0, 1 and 2.



Part No.	Description
DN-62-002A	L161 Lifebuoy Light TC Approved

L170 LIFEBUOY LIGHT

The L170 Lifebuoy Lights offer a five year life. No maintenance or replacement batteries are required.



Part No.	Description
FW-61010A	L170 Lifebuoy Light TC Approved

OCEAN SIGNAL SAFESEA EPIRB

SafeSea EPIRBs operate in the 406MHz satellite band monitored by Cospas-Sarsat, the international satellite operator, ensuring a signal can be located wherever it is activated around the globe.

- Choice of GPS and non-GPS models
- E100G EPIRB incorporates a state of the art 50 channel GPS receiver for fast and accurate position acquisition
- Meets or exceeds all International standards
- Class 2 EPIRB (-20°C – +55°C) for general use
- Non hazardous battery

BATTERY MUST BE REPLACED AFTER FIVE YEARS.



S100 SART

The SafeSea S100 SART is designed to assist in the rescue and recovery of liferafts and survival craft. When switched on, the SART remains in a standby mode until automatically activated by an X Band Radar sweep from any vessel in the vicinity.

- Superior battery life – even at -20°C
- User replaceable non-hazardous battery
- Compact and lightweight
- Supplied complete with telescopic pole and bracket



BATTERY MUST BE REPLACED AFTER FIVE YEARS.

Part No.	Description
OS-700S-00766	SafeSea E100 EPIRB Auto (Cat 1) Non GPS
OS-700S-00767	SafeSea E100G EPIRB Auto (Cat 1) GPS

Part No.	Description
OS-710S-00607	S100 SART

HAMMAR EPIRB HYDROSTATIC RELEASE UNIT

In an emergency situation the automatic activation of the EPIRB will dramatically facilitate the rescue operation and the possibility to save lives. The Hammar H20 is the most reliable hydrostatic release unit on the market and is used by most leading EPIRB manufacturers.



MUST BE REPLACED AFTER TWO YEARS.

Part No.	Description
HM-HE-0100	Hammar EPIRB Hydrostatic Release Unit

OCEAN SIGNAL EPIRB HYDROSTATIC RELEASE UNIT

Ocean Signal EPIRB HRU: Replacement Hydrostatic Release mechanism for Ocean Signal Cat I EPIRBs. Must be replaced every two years from date of installation. Only this model will fit Ocean Signal Type I housings.



MUST BE REPLACED AFTER TWO YEARS.

Part No.	Description
OS-701S-00608	Ocean Signal EPIRB Hydrostatic Release Unit



WAMBLEE W470 MOB AIS

The W470 MOB AIS is an extremely small and light personal safety device. Working on VHF maritime band as MOB AIS and Homing VHF 121.5 MHz, complete with GPS positioning. This Personal locator beacon with AIS can be worn around the neck by its flexible silicone rubber covered antenna or it can be fitted directly into the lifejacket or lifeboat.

It can be manually activated (by pressing the large button) or automatically through the marine sensors. It is equipped with built-in high efficiency flashing led.

The W470 Personal locator beacon with AIS simultaneously emits a number of SAR signals including an AIS message (AIS MOB on channel 1 & 2) and a homing signal at 121.5MHz in compliance with the ETSI 302961. The emission of several signals which are received by the SAR rescue units, will increase the chances for people in distress to be located.



RESCUEME PLB1 (PERSONAL LOCATOR BEACON)

Wherever you are, at sea, on land, the RescueME PLB1 provides the reassurance that global emergency services can be alerted by the press of a button.

- 30% smaller (typ) by volume
- Easily fits in lifejacket
- Retractable Antenna
- 24+ hour operational life
- High brightness strobe light >1candela
- 66 channel GPS receiver
- Operates on the global Cospas Sarsat rescue system
- Free to use, no subscription charges
- Supplied with free flotation pouch



GET YOURS SERVICED AT
**FitzWright
Survival Inc**



Part No.	Description
WB-P20042	Wamblee W470 MOB AIS

Part No.	Description
OS-710S-01261	RescueME PLB1



**FitzWright
Survival Inc**

PERSONAL FLOATATION DEVICES

FITZWRIGHT A/M 24 INFLATABLE PFD

The FitzWright A/M-24 Auto/Manual Inflatable PFD is simple, cost effective and comfortable. The perfect solution for constant wear safety when you are on or near the water.

- Automatically inflates upon immersion in water or when the wearer pulls the “Pull to Inflate” handle
- Equipped with back-up oral inflation
- Provides comfort, safety and peace of mind without knowing you have it on, until you may need it
- Comfortable, lightweight, low profile design
- Soft neoprene neckline for all day comfort
- Durable fabric resists tears and punctures
- For persons 16 years of age and older, and over 80 lbs.
- Not recommended for non-swimmers or weak swimmers
- Minimum buoyancy of 22.5 lbs. when inflated
- Transport Canada approved PFD



Part No.

Description

FW-AM24

FitzWright A/M 24 Inflatable PFD

AO-24G

24g CO2 Re-Arming Kit

FITZWRIGHT MESH DELUXE WORK VEST

The FitzWright Mesh Work PFD is our best overall value. The Mesh shoulders provide great comfort and reduce heat. Addition of two pockets for increased utility make this a fantastic work vest.



Part No.

Description

FW-PFD1508

FitzWright Mesh Deluxe Work Vest

FITZWRIGHT SAR FLOATATION VEST

The FitzWright SAR floatation vest offers safety, floatation, and lots of utility with features that make this PFD a must for Search and Rescue technicians, or Fast Rescue Craft operators.



Part No.

Description

FW-PFD1510

FitzWright SAR floatation vest



**FitzWright
Survival Inc**

INFLATABLE PFD & LIFEBOUY

FitzWright Rogue Buoyancy Aid

The FitzWright Rogue Buoyancy Aid floating work vest was designed specifically to meet the challenging needs of fishermen. It boasts minimal bulk, maximum flexibility, reduced snag hazard, and offers buoyancy for added safety in case of falling overboard.

Made from Black neoprene to reduce visible marking, it includes two strips of reflective tape for increased visibility when in the water.

Part No.	Description	Chest Size
FW-ROGUE –MED	FitzWright Rogue Buoyancy Aid - Medium	36"-40"
FW-ROGUE –LG	FitzWright Rogue Buoyancy Aid - Large	40"-44"
FW-ROGUE –XLG	FitzWright Rogue Buoyancy Aid - Extra Large	44"-48"
FW-ROGUE –2X-LG	FitzWright Rogue Buoyancy Aid - 2 Extra Large	48"-52"
FW-ROGUE –3X-LG	FitzWright Rogue Buoyancy Aid - 3 Extra Large	52"-56"
FW-ROGUE –4X-LG	FitzWright Rogue Buoyancy Aid - 4 Extra Large	56"-60"
FW-ROGUE –5X-LG	FitzWright Rogue Buoyancy Aid - 5 Extra Large	60"-65"



CE

24" LIFEBOUY, ORANGE / WHITE

All small vessel lifebuoys are molded from high impact linear low-density polyethylene for superior life expectancy in the most severe environments.

Part No.	Description
DA-24-O	24" Lifebuoy, Orange
DA-24-W	24" Lifebuoy, White



Transport
Canada
Canada

**WE INSPECT, SERVICE AND REARM
INFLATABLE PFDs, ASK US**

MANTA SAR 3 MULTI-ROLE HELMET

The MANTA SAR Multi-Role Helmet is a high performance helmet with numerous options. The MANTA Multi-Role Helmet has a high level of impact protection from both the top and sides. The multifunctional property makes the helmet useful by swift water rescue, fast vessels, jet ski's and water scooters. The helmet is also useful for working on heights or altitude rescue. The helmet is the ideal partner for users or rescue teams for different purposes around or on the water. The MANTA SAR Helmet is tested to 6 different standards making it suitable for a wide range of uses.

TESTED TO:

- EN14052:2005 High Performance safety helmet
- PAS 02:2002 Marine safety helmet
- FS/ATV1 Quad & ATV helmet
- EN352-3:1997 Hearing protection
- EN166:2002 Industrial eye protection
- EN12492:2012 Working at height / Mountaineering.



MANTA HELMET OPTIONS

- Internal Retractable Eye Shield: Smoke or Amber
- Half or Full Length Marine Visor
- Forestry Mesh Visor
- Ear Defender hearing protection

MANTA SAR HELMET SPECIFICATIONS:

- Impact protection Crown: 100 joules
- Impact protection Side / Front / Rear: 90 joules

COLOURS AVAILABLE:



Part No.	Description
FS-MH/3-O	Helmet, Manta Marine (ORANGE)
FS-MH/3-Y	Helmet, Manta Marine (YELLOW)
FS-MH/3	Helmet, Manta Marine (RED)
FS-MH/3-G	Helmet, Manta Marine (GREEN)
FS-MH/3-B	Helmet, Manta Marine (BLUE)
FS-MH/3-W	Helmet, Manta Marine (WHITE)
FS-MH/3-BL	Helmet, Manta Marine (BLACK)

MANTA SAR 4 MULTI-ROLE TECHNICAL RESCUE HELMET

The MANTA SAR Multi-Role Helmet is a high performance helmet with numerous options. The MANTA Multi-Role Helmet has a high level of impact protection from both the top and sides. The possibility to build the helmet to your own requirements both in comfort and how it looks. There is plenty of choice from different helmet and vent cover colours, high visibility, logos and much more. The MANTA SAR Helmet is tested to 8 different standards making it suitable for a wide range of uses.

TESTED TO:

- EN14052:2005 High Performance safety helmet
- PAS 02:2002 Marine safety helmet
- FS/ATV1 Quad & ATV helmet
- EN352-3:1997 Hearing protection
- EN166:2002 Industrial eye protection
- EN12492:2012 Working at height / Mountaineering.
- EN16471:2014 Firefighting helmets for wildland firefighting
- EN16473:2014 Firefighting helmets for technical rescue



MANTA HELMET OPTIONS

- Internal Retractable Eye Shield: Smoke or Amber
- Half or Full Length Marine Visor
- Forestry Mesh Visor
- Ear Defender hearing protection

MANTA SAR HELMET SPECIFICATIONS:

- Impact protection Crown: 100 joules
- Impact protection Side / Front / Rear: 90 joules

COLOURS AVAILABLE:



Part No.	Description
FS-MH/4-O	Helmet, Manta Marine (ORANGE)
FS-MH/4-Y	Helmet, Manta Marine (YELLOW)
FS-MH/4	Helmet, Manta Marine (RED)
FS-MH/4-G	Helmet, Manta Marine (GREEN)
FS-MH/4-B	Helmet, Manta Marine (BLUE)
FS-MH/4-W	Helmet, Manta Marine (WHITE)
FS-MH/4-BL	Helmet, Manta Marine (BLACK)



**FitzWright
Survival Inc**

FIRE FIGHTING EQUIPMENT

OCENCO EEBD M-20.2

The M-20.2 is a self-contained, closed-circuit breathing apparatus. The system activates automatically when the device is removed from the clear case. The demand regulator allows the user to inhale immediately from the device when donned and provides up to 100 liters of oxygen flow during high work rates.



Part No.	Description
OC-M20.2	Ocenco EEBD M-20.2
OC-M20.2B	Ocenco EEBD Bracket
OC-M20.2T	Ocenco EEBD Training Kit

FIRE BUCKET

Round bottom metal fire bucket.



Part No.	Description
GW-FRPL	Fire Bucket

FIRE AXE

Fiberglass handled fire axe with spike.



Part No.	Description
SS-330961B	Fire Axe

FIRE HOSE

Fire hoses for all firefighting operations.



Part No.	Description
PLEASE CALL FOR DETAILS	

LAKELAND FIRE CLOTHING

- Ergonomic Designs to Optimize Fit, Function and Comfort.
- Lazermax Reflective Piping Options for Increased Visibility
- Standard Product Features Above and Beyond Industry Norms
- **Materials:** High Quality Fabrics from TenCate, Fabric made with Nomex® IIIA, Stedfast



Part No.	Description
PLEASE CALL FOR DETAILS	

JALITE SIGNS, IMO AND SOLAS

Jalite IMO SOLAS Signs are designed to satisfy Chapter III, Regulation 9.2.2 and Regulation 9.2.3 of the SOLAS Convention. Signs are required to be easily seen under emergency lighting conditions and used in accordance with the recommendations of the IMO.



Part No.	Description
----------	-------------

PLEASE CALL FOR COMPLETE LIST

DAY SHAPES

Vessel Day Shapes are signals that are hung by the mast indicating the navigation status of a vessel to other vessels.

Day Shapes are manufactured from heavy-duty vinyl coated nylon fabric with corrosion resistant framing. Fully collapsible when stored. Simplicity of design offers rapid and rigid display when required. Black only.



Part No.	Description
SA-BALL	Black Ball Day Shape
SA-CONE	Black Cone Day Shape
SA-CYLINDER	Black Cylinder Day Shape
SA-DIAMOND	Black Diamond Day Shape

The NARWHAL SOLAS series is currently comprised of 3 models, ranging from 4.20 to 7.50 meters. The SV-420 and SV-480 models have been recently adapted to conform the latest SOLAS requirements, improving also their engine and towing capabilities.

SV-420 Standard equipment

- GRP unsinkable hull
- Polypropylene/aluminum transom plates
- Mooring/towing & lifting rings
- PU Polyurethane Buoyancy tube
- Automatic relief valves
- Aluminum boat hook-paddle
- Retainers for fuel tank
- Folding fisherman benches
- Bowdodger
- Pocket for line
- Bow locker for equipment
- "D" rings with rope
- Reinforced wide rubbing strake fender
- Fastening for righting rope
- Pocket for position light
- Reflective SOLAS labels
- Reinforced stern cones

SV-480 Standard equipment

- GRP unsinkable hull
- Polypropylene/aluminum transom plates
- Mooring/towing & lifting rings
- PU Polyurethane Buoyancy tube
- Automatic relief valves
- Aluminum boat hook-paddle
- Retainers for fuel tank
- Folding fisherman benches
- Bowdodger
- Pocket for line
- Bow locker for equipment
- "D" rings with rope
- Reinforced wide rubbing strake fender
- Fastening for righting rope
- Pocket for position light
- Reflective SOLAS labels
- Reinforced stern cones

SV-750 Standard equipment

- Hydraulic steering
- CO2 bottle
- Stainless steel Roll bar
- Navigation lights
- Self-righting balloon
- Jockey seat three places
- 2 Jockey seats two places (each)
- Tight capsules
- Towing rope
- Aluminum boat hook-paddle
- 6 carrying handles
- Batteries
- 5 inflatable valves
- Pressure relief valves
- Reinforced strake fender
- 4 four legged slings
- Stretcher
- Fuel tank 300 lt. w/level gauge
- Locker for SOLAS equipment



Part No.	Description
SV-420	SOLAS Rescue Boat 420 cm



Part No.	Description
SV-480	SOLAS Rescue Boat 480 cm



Part No.	Description
SV-750	SOLAS Rescue Boat 750 cm

Fassmer fast rescue boats and rescue boats are designed to be immediately fired up and fully available whenever necessary.

FAST ALL-ROUNDERS

Fassmer combined rescue and fast rescue boats for ferries and cruise ships are designed to be immediately fired up and fully available under harsh conditions, profiting from Fassmer’s longstanding experience in the passenger business. They are the backbone of a quick, safe and successful person-over-board-manoeuver.

- Outboard or inboard engine
- Fixed or inflatable self-rigging devices
- Different propulsion systems available
- Fully IMO/SOLAS certified
- Exceptional sea-keeping characteristics
- Fiberglass-reinforced polyester resin
- Soft-foam and corner fenders
- Easy to maintain



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS



The NARWHAL FRB-700 Rigid Inflatable Fast Rescue Boat is designed for rescue operations on the high seas. Its wide console protects the pilot against the wind and sea spray, whilst providing sufficient space to install state-of-the-art electronic equipment, as well as the engine compartment.

FRB-700 Standard Equipment

- Reinforced PU Buoyancy Tube
- Mooring rope
- Rope line guide
- Single Point Hoisting System
- Henriksen Quick Release Mechanism
- Self Righting System (CO2 operated)
- 200L Fuel Tank
- SUPER-150 Console
- 2 x JS1 Jockey Seats
- Stainless Steel Leaning Post with upholstered support
- Lifebuoy with rope

Engine

- Inboard Diesel: VOLVO D3-220 HP (SOLAS)
- Propulsion: Hamilton HJ213 Jet

Optional

- SOLAS Approved Stretcher
- SOLAS Approved Electronic Equipment Pack



Part No.	Description
FRB-700	SOLAS Rigid Inflated Fast Rescue Boat



Lifeboats must save people from ships or offshore platforms under the worst possible conditions. They must withstand the heaviest weather and sea conditions and be available at any time.



CLR LIFEBOAT

The CLR totally enclosed lifeboat is a modular design which enables a high degree of customization in any commercial or offshore setting.

- Up to four embarkation doors
- Best stability and self-righting properties
- Reliable propulsion system
- Fire-retardant glass-fiber composite complete with sprinkler system
- Rescue platform aft, hatch at helmsman’s position, 360° view for helmsman, all doors with easy stretcher access



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

CLX LIFEBOAT

CLX totally enclosed lifeboats are an addition to the CLR boat family.

- Up to six embarkation doors
- Best stability and self-righting properties
- Reliable propulsion system
- Fire-retardant glass-fiber composite complete with sprinkler system
- Rescue platform aft, hatch at helmsman’s position, 360° view for helmsman, all doors with easy stretcher access



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

FREEFALL LIFEBOAT

A freefall lifeboat is the fastest and safest means of escape in the case of a marine emergency.

- Central embarkation door aft
- Best stability and self-righting properties: space between inner and outer shell filled with buoyancy foam
- Reliable propulsion system
- Fire-retardant glass-fiber composite
- Rescue platform aft, hatch at helmsman’s position, 360° view for helmsman, all doors with easy stretcher access
- Dry cargo or tanker version available



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

Global Davit GmbH was founded in 1999 to meet the specific demands and is ready to design and produce Ready-Made Solutions & special tailor-made systems to meet the special requirements for marine vessels.

LIFERAFT HANDLING DAVITS

The Liferaft Cranes are the simplest execution of manually driven slewing cranes for liferafts available. This kind of davit is available in different sizes, suitable to handle all available sizes of davit-launched liferafts from 12 person capacity up to 39 person capacity.

Each system consists of:

- pedestal suitable for welding to deck
- column with integrated manually driven slewing gear
- arm in box shape construction
- liferaft winch with centrifugal brake (optionally with electric motor for hoisting operations)
- wire rope in galvanized (anti-corrosion) non-rotating steel
- automatic release stainless steel hook
- remote control of the stop-go type

PIVOT DAVIT SYSTEM

The pivot davits for rescue boat handling is very low-build and combines a low weight with an extreme low centre of gravity; with turning out/in on hydraulic power. These davits are available in three different standard sizes for boats with a launching load from 15kN up to 36kN.

Each system consists of:

- box shape arm construction
- rescue boat winch with centrifugal brake and electric motor in IP 56
- electric system with starter box for under-deck and pushbutton box for on-deck
- wire rope in galvanized (anti-corrosion) non-rotating steel
- off-load release hook or galvanized suspension link
- remote control of the stop-go type



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

Part No.	Description
----------	-------------


PLEASE CALL FOR DETAILS

FAST RESCUE BOAT DAVITS

The Fast Rescue Boat Davits are the pivot davit systems for the handling of fast rescue boats, with turning-out/in on hydraulic power. The systems are very low-build and combine a low weight with an extreme low centre of gravity.

Each system consists of:

- arm in box shape construction
- fast rescue boat winch with centrifugal brake and hydraulic motor with variable displacement
- hydraulic system with accumulator, pressure control system and full automatic wave compensation unit
- electric system with starter box and pushbutton box for on-deck use
- wire rope in galvanized (anti-corrosion) non-rotating steel
- shock absorber integrated in the arm
- stabilizer guiding arms to prevent oscillation of the craft
- galvanized suspension link
- boat supports with rubber fenders
- lashing gear with polyester belts and stainless steel ratchets maintenance slings



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

SLEWING CRANES

These **Slewing Cranes** are the simplest executions of manually driven slewing cranes for rescue boats available. This type of crane is available for boats and liferafts up to an empty fully equipped weight of approx. 10kN up to 37kN .

Each system consists of:

- pedestal suitable for welding to deck
- column with integrated manually (Rms.) or hydraulically (Rhs.) driven slewing gear
- arm in box shape construction
- rescue boat winch with centrifugal brake and electric motor in IP 56
- only Rhs. type: hydraulic system with accumulator and pressure control system
- electric system incl. stainless steel starter box with push buttons
- wire rope in galvanized (anti-corrosion) non-rotating steel
- stainless steel hook for off-load release or suspension link (in case that the hook is installed at the boat) remote control of the stop-go type



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS



**FitzWright
Survival Inc**

RELEASE SYSTEMS

RESCUE BOAT OFF-LOAD RELEASE HOOK


The **HRN.28LT** is suitable for handling 1-point suspended boats with safe working load up to 28kN. The OFF-load release hook type meets the latest amendments of the SOLAS/LSA requirements. The hook is available with MED approval as well as with the USCG approval certificate.



SURVIVAL CRAFT ON/OFF LOAD RELEASE HOOK

The **HRL.26** is suitable for handling davit-launched liferafts as well as 1-point suspended rescue boats and FRC's with safe working load up to 26kN.

The combined release hook type meets the latest amendments of the SOLAS/LSA requirements. The hook is approved for use in environmental conditions down to -40°C. The hook is available with TC, MED and USCG approval certificate upon request.



GET YOURS SERVICED AT
**FitzWright
Survival Inc**



Part No.	Description
GD-M4-5101A	Type HRN.28LT Rescue Boat Hook

Part No.	Description
GD-HRL.26	Type HRL.26 Combined Off-load & Auto Hook



Marine Evacuation Systems (MES) by LSA provide rapid and safe evacuation which delivers passengers and crew directly into large capacity liferafts.

Each Marine Evacuation System (MES) comprises:

- Inflatable inclined evacuation slide
- Lightweight stowage cradle manufactured in marine grade aluminium.
- Unique design provides considerable strength to the slide.
- Multi air-holding compartment design enhances structural integrity.
- Slide manufactured from advanced polyurethane coated nylon fabrics.

- Range of slide lengths to accommodate all evacuation heights up to 13.6m.
- Slide evacuation path always clear and usable. No risk of blockages.
- Dry-shod evacuation.
- Clear line of sight from top of the slide to the liferaft at all times increases confidence of evacuees and ability of crew to control the evacuation.

Strength

- Manufactured from durable, lightweight and abrasion resistant advanced polyurethane coated nylon fabric.
- Unique multi air-holding compartment design enhances structural integrity.

Flexibility

- Range of slide lengths provide options to install LSA MES at all evacuations heights up to 13.6m.
- Single and double evacuation path slide options to optimize individual ship evacuation plans and evacuation rates.



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS






LSA MES FOR MILITARY APPLICATIONS

Ease of Operation

In a marine emergency every second is critical, even more so if that marine emergency is in a combat zone. LSA MES saves you time.

- LSA MES is deployed locally at the MES station or remotely
- released from the vessel’s operating compartment.
- With minimal training, one crew person can deploy an LSA MES.
- A unique fixed bowsing line arrangement means once the MES is deployed, no winching or further seamanship is required to make the MES operational.
- LSA MES is deployed, fully operational and ready to commence evacuation in less than 60 seconds.



Safe and Rapid Evacuation

The speed of evacuation for military personnel is critical.

- LSA MES is fully tested and approved to safely evacuate up to 600 personnel in less than 30 minutes per MES station.
- LSA MES is capable of safely and rapidly evacuating all military and non-military personnel regardless of age, gender, size, physical capability or even injury.
- Military personnel can easily transport supplies, weapons and full survival kits with them down the evacuation slide. There is no risk of personnel being stopped or trapped on the slide. The evacuation is continuous and evacuation rate is never compromised.
- It is also possible to safely lower or recover a seriously injured person on a rescue stretcher down the MES inclined slide.



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

DACON RESCUE FRAME

The Dacon Rescue Frame is a manual rescue net used on rescue crafts for gentle and effective recovery of exhausted, seriously injured or even unconscious persons from the water. The rescue net enables a man overboard recovery in a horizontal position and is quick and easy to handle for rescue personnel. A horizontal recovery position ensures a full body support, which might be decisive in reducing the possibility of shock and aggravation of injuries associated with the recovery of hypothermic and seriously injured casualties.

A manual recovery system for gentle and effective rescue of casualties

- Quick, safe and effective retrieval saves time for the rescue personnel
- Doubles as an effective scrambling net for persons able to climb on board
- Folds for stowage on deck or railing. Always ready for immediate deployment
- Established 20 years with a proven track record
- Requires a minimum of space on board. Will not obstruct passage even on small rescue craft
- Detaches in seconds for use as an effective transport stretcher when required

DACON RESCUE FRAME (STANDARD MODELS)						
Dimensions Horizontal x vertical						
Free-board (m)	Model RG-1,8	Model RG-1,5	Model RG-1,2	Model RG-0,9	Model RG-0,6	Vertical Depth (m)
0.5	1.8x1.9	1.5x1.9	1.2x1.9	0.9x1.9	0.6x1.9	1.9
0.6	1.8x2.1	1.5x2.1	1.2x2.1	0.9x2.1	0.6x2.1	2.1
0.7	1.8x2.3	1.5x2.3	1.2x2.3	0.9x2.3	0.6x2.3	2.3
0.8	1.8x2.5	1.5x2.5	1.2x2.5	0.9x2.5	0.6x2.5	2.5
0.9	1.8x2.7	1.5x2.7	1.2x2.7	0.9x2.7	0.6x2.7	2.7
1.2	1.8x3.2	1.5x3.2	1.2x3.2	0.9x3.2	0.6x3.2	3.2
1.5	1.8x3.6	1.5x3.6	1.2x3.6	0.9x3.6	0.6x3.6	3.6
1.7	1.8x4.0	1.5x4.0	1.2x4.0	0.9x4.0	0.6x4.0	4.0
2.0	1.8x4.1	1.5x4.1	1.2x4.1	0.9x4.1	0.6x4.1	4.1
2.2	1.8x4.5	1.5x4.5	1.2x4.5	0.9x4.5	0.6x4.5	4.5
2.5	1.8x5.1	1.5x5.1	1.2x5.1	0.9x5.1	0.6x5.1	5.1
2.8	1.8x5.5	1.5x5.5	1.2x5.5	0.9x5.5	0.6x5.5	5.5
3.1	1.8x5.9	1.5x5.9	1.2x5.9	0.9x5.9	0.6x5.9	5.9
3.8	1.8x6.8	1.5x6.8	1.2x6.8	0.9x6.8	0.6x6.8	6.8



MEDICAL ASPECT

The person is recovered in a horizontal position with full-length body support. This will reduce the possibility of shock and aggravation of injuries associated with the recovery of hypothermic and seriously injured casualties from the water.

Innovating maritime rescue equipment for more than 30 years. Dacon manufactures man-overboard rescue systems for many types of vessels.

DACON RESCUE BASKET

The Rescue Basket is a stable and effective power-assisted rescue basket with a 30+ years track record. The Basket is completely padded for protection of occupants. A large float in the mast prevents capsizing. Metal net covered sides for safety.

- Stable and effective method of recovery
- Perfect for mass rescue situations
- Rugged aluminum construction with soft padding
- Low floating position for easy entry
- Quick- folding lifting mast for convenient stowage
- Fenders rotate for easy recovery of casualties and for protection when hauled against the ship side.




Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

DACON RESCUE SCOOP

The Dacon Rescue Scoop is a semi-rigid, maneuverable rescue net operated by a standard deck crane. The rescue net is used to recover distressed persons from the water when weather or other factors make it difficult or too risky to launch a rescue craft

- Dacon Rescue Scoop is a large crane operated rescue “net” for horizontal recovery of casualties from the water
- Gentle and effective retrieval of casualties
- Rescue reach of 4-6 m
- Light- weight and flexible
- Stows along railing or bulwark, or integrated in the cargo rail
- Robust design and long life expectancy
- 5 year manufacturer’s guarantee




Part No.	Description
DC-RSA500	Dacon Rescue Scoop 5m
DC-RSA700	Dacon Rescue Scoop 7m



PILOT LADDER


The Pilot Ladder consists of vertical ropes and threaded wooden rungs to create steps.



Part No.	Description
	1m-22m Pilot Ladder

DACON SCRAMBLE NET

- Rigid fiberglass rods with non-slip sleeves
- Internal lead weights in lower step for stability
- Distance rollers support the net away from the ship's side for easy hand and foot grip
- Equipped with safety hooks for quick deployment
- Fold over frame folds inboard for stowage




Part No.	Description
PLEASE CALL FOR DETAILS	

DACON FISHERMEN RESCUE FRAME

The Dacon Fishermen Rescue Frame consists of a number of parallel fibre glass rods, connected by slotted webbing. The outer bar is fitted with pebble buoys, a maneuvering stick and hand-loops for easy grip.

When deployed, the Rescue Frame hangs down, forming a cradle in the water. Position the casualty in the cradle and gently bring on board by pulling the rescue frame or the retrieval lines.

- No mandatory service
- Dacon Rescue Frame is a manual rescue net for gentle and horizontal recovery of casualties
- Quick, safe and effective retrieval
- Requires minimum of space on board. Will not obstruct passage even on small vessels
- Robust design and long life expectancy
- Alternative use as a scrambling net for persons able to climb to safety



Part No.	Description
DC-FF1	Dacon Fishermen Rescue Frame 3' Freeboard
DC-FF2	Dacon Fishermen Rescue Frame 8' Freeboard



**DOWNLOAD THE SAFE SEAminder APP
AND NEVER MISS AN EXPIRY OR
SERVICE DATE!**



DACON RESCUE DUMMY

The Dacon Rescue Dummy is one of the best and most realistic training dummies developed for water rescue training. Unlike other training Dummies, the Dacon Rescue Dummy has a realistic weight and high resemblance to a real human body, making for more realistic training for in-water rescue.

- Realistic height (1,9 m) and weight (up to 85 kg)
- Realistic joints with restricted limb movements
- Extremely rugged - Survives a drop from a platform`s helicopter deck and other rough usage
- Adjustable to float horizontally or vertically in the water
- Available with a negative buoyancy for underwater SAR training
- Can be provided with a yellow (standard) or grey (for advanced SAR) PVC coverall.



Part No.	Description
DC-RESDUM	Dacon Rescue Dummy



**FitzWright
Survival Inc**

TRANSPORT BASKETS

The FROG is designed with cutting-edge safety features offering extensive protection, the FROG raised safety standards above anything else on the market.

FROG RANGE

Also offering stretcher-carrying capabilities, the FROG-6 is a versatile and robust transfer device delivering value and comprehensive safety to crew transfer operations.

Increased efficiency, as vessels and cranes are tied up for less time.

- Seating mounted on coil springs, combined with gas dampers, protects passengers from vertical impacts (heavy landings).
- Reduced risk as vessels spend less time working in close proximity to offshore structures.
- Small footprint with capacity for six people.
- Rapid change to MedEvac mode allows for quick evacuation of a casualty.

FROG-XT RANGE

Designed for the most extreme scenarios and offering advanced passenger protection, the FROG-XT represents a revolution in crane transfer.

- Spring and hydraulic damping system, and shock absorbing seats mitigate heavy vertical impacts.
- Stainless steel frame and polyethylene buoyancy panels provide protection against side impacts.
- Easy-use harnesses protect against falling, reinforced to minimize the risk of tangled straps.
- Ergonomically designed seating and spatial layout for passenger comfort and security.
- Rapid change to MedEvac mode allows for quick evacuation of a casualty.



Part No.	Description
PLEASE CALL FOR DETAILS	

Part No.	Description
PLEASE CALL FOR DETAILS	



BILLY PUGH X-904 TRANSPORT BASKET

The X-904 is the most user-friendly and safest way to transfer personnel via crane in an offshore environment.

- *ABS Certification Report* available
- Collapsible for storage & shipping
- Overhead protection
- Refurbishment program
- Shock absorbing bottom
- Non-slip floor Lightweight aluminum frame construction
- Double braid polydacron rope coated in urethane with stainless wire rope center
- Comes standard with 20ft. stabilizer & load line
- Training DVD
- Stretcher space provided
- Designated storage space



Part No.	Description
BP-X-904-4	Offshore 4 Personnel Transfer Basket
BP-X-904-6	Offshore 6 Personnel Transfer Basket
BP-X-904-8	Offshore 8 Personnel Transfer Basket
BP-X-904-10	Offshore 10 Personnel Transfer Basket
BP-X-904-12	Offshore 12 Personnel Transfer Basket

BILLY PUGH X-800 TRANSPORT BASKET

The Billy Pugh Co. personnel net has been a symbol of the offshore oil and gas industry for over 50 years. It set the standard for safety and efficiency in crane transfers. Its reputation for efficiency, safety and affordability has been unmatched for decades. X-800 is designed for offshore operations that need a small footprint for their personnel basket.

- Servicing offshore industry for over 50 years.
- Collapsible for easy storage
- Affordable
- More offshore safe transfers than any personnel transfer device in history
- Inducted into the Offshore Oil Hall of Fame



Part No.	Description
BP-X-800	Billy Pugh X-800 Transport Basket



**FitzWright
Survival Inc**

AFTER SALES SERVICE

Email: Service@FitzWright.com

Phone: (778) 785-7848

We are your full marine safety equipment service provider



Liferafts on commercial vessels must be serviced annually. Our approved service stations stock spare parts to ensure that you receive fast, convenient service at a service station that suits you.

PLEASE CONTACT OUR SERVICE DEPARTMENT FOR DETAILS OR TO BOOK YOUR SERVICE FOR

- LIFERAFTS
- PPE: IMMERSION SUITS AND LIFEJACKETS
- RESCUE BOATS / FRC / LIFEBOATS
- DAVITS
- EMERGENCY POSITION-INDICATING RADIOBEACONS (EPIRBs)
- PERSONAL LOCATOR BEACONS (PLBs)
- MARINE EVACUATION SYSTEMS
- OFFSHORE INSTALLATIONS EVACUATION SYSTEMS

WE WOULD BE PLEASED TO ARRANGE SERVICE FOR YOUR MARINE SAFETY EQUIPMENT. PLEASE CONTACT OUR SERVICE DEPARTMENT FOR DETAILS OR TO BOOK YOUR SERVICE.



Since 1978, Cleemann Chair-Systems has been providing highly sophisticated, functional and extremely comfortable pilot chair systems to shipbuilders and shipowners all over the world.

CLEEMAN NAUTIC STAR

SERIAL FEATURES

- Mechanical Suspension
- Weight adjustment
- Adjustable headrest
- Foldable armrests
- Adjustable backrest
- Seat rotates 360°
- Lumbar Support
- Foldable footrest



CLEEMAN NAUTIC STAR PRO

SERIAL FEATURES

- Mechanical suspension
- Weight adjustment
- High comfort-backrest
- Foldable armrests
- Adjustable backrest
- Seat rotates 360°
- Lumbar Support
- Foldable footrest



CLEEMAN NAUTIC PRO

SERIAL FEATURES

- High comfort-backrest
- Foldable armrests
- Seat angle adjustment
- Adjustable backrest
- Seat rotates 360°
- Foldable footrest
- Fabric or real leather, black



** Images are of fully upgraded models.**

Part No.	Description
PLEASE CALL FOR DETAILS	

Part No.	Description
PLEASE CALL FOR DETAILS	

Part No.	Description
PLEASE CALL FOR DETAILS	



Delta-T-Systems has been engineering ventilation systems for vessels around the globe for almost three decades. Delta-T-Systems believes that an engineered and balanced ventilation system will help your vessel to perform better, reduce operating and maintenance costs and improve the overall reliability of the vessel.

FANS & BLOWERS

Airflow within the engine room space is critical for both the performance of a vessel's engines and generators as well as for the safety of the people who work within the engine room itself.



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

MODULAR DRY EXHAUST

Delta-T-Systems believes that a vessel's dry exhaust system should be cost effective, light-weight and simple to install with a clean professional appearance.

This aesthetically pleasing and cost effective exhaust system solution may be easily installed by boat builders or refit yards without any special tools or training and produces a highly efficient exhaust system with a long life span and superior performance.



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

DAMPERS

The Delta-T-Systems Round Dampers are designed to close couple directly to either end of Delta-T-Systems' Marine Axial Fans in standard sizes from 12 inches ID through 36 inches ID (305 mm to 914mm) to provide the safest, most compact, high volume ventilation component assembly available.



Part No.	Description
----------	-------------

PLEASE CALL FOR DETAILS

FitzWright Survival Inc **FUEL TREATMENTS**

FUEL RIGHT 15K

Today's ULSD (ultra low sulfur diesel) blends have changed the fuel industry considerably. Stabilizers are less relevant to the ULSD blends and biocides do not dissolve or eliminate sludge problems. Polishing diesel fuel simply centrifuges sludge out of the fuel into a filter system but does not resolve sludge issues.

Fuel Right Chemistry is unique and uses a powerful combination of amines to slowly dissolve existing sludge, while preventing growth and build-up of new sludge. These amines also protect tanks and fuel system components from corrosion, even in the presence of free water and remaining old sludge. Fuel Right also improves lubricity thus extending the service life of injection pumps and other high wear fuel components. Fuel Right contains glycol ether, a necessary ingredient that protects against fuel line freeze-ups in cold weather climates.

- Dissolves, Disperses & Prevents Bacterial Contamination
- More Effective than Biocides or Conventional Additives
- Cleans Tanks, Fuel Lines, Filters and Strainers
- Improves Fuel Economy & Reduces Exhaust Particulate
- Restores Fuel Lubricity & Stabilizes Fuel
- Provides a Microscopic Coating to Prevent Corrosion
- Warranty Safe for All Diesel Engines
- EPA Registered

BULK TREATMENT

Bulk treatment means treating at a low dose rate all of the fuel, all of the time. For such treatment, use 1:15,000 as the treatment ratio. (1 litre of Fuel Right treats 15,000 litres of fuel) It is not recommended to bulk treat only part of the time as that can produce an incomplete protective film and lead to localized corrosion.

SHOCK TREATMENT

Shock treatment ratio is 1:6,000. (1 litre of Fuel Right treats 6,000 litres of fuel) Periodic shock treatment once or twice per year is recommended for systems with ongoing sludge problems. Shock treatment once or twice per year is usually adequate. For small to medium sized tanks, treat for the size of the tank – not the amount of fuel in the tank.



Part No.	Description
FU-FR177ML15K	Fuel Right 15K 177ml
FU-FR189L15K	Fuel Right 15K 1.89L



PETROWRAP ANTI-CORROSION TAPE

Petrowrap Tape has been developed for long term protection of metal surfaces that are underwater or exposed to severe environments. Repels water, salt, alkalis and acids.



Part No.	Description
IN-9170	Petro Tape, 2"
IN-9171	Petro Tape, 4"
IN-9180	Petro-Wrap Primer, 4kg

NOSPRAY SEALING TAPE

NoSpray is a type approved aluminum/glass cloth jacketing system designed to prevent the flammable spray of hot oil which can come in contact with hot surfaces thus causing fires.



Part No.	Description
IN-NOSPRAY100	No-Spray Anti-Splash Tape, 100mmx10m
IN-NOSPRAY140	No-Spray Anti-Splash Tape, 140mmx10m
IN-NOSPRAY50	No-Spray Anti-Splash Tape, 50mmx10m
IN-NOSPRAY35	No-Spray Anti-Splash Tape, 35mmx10m

BILGE BOOM

This absorbent bilge boom has been specifically designed for use in bilges and sumps. It is constructed from flexible 15" tubes filled with highly absorbent material, in an all-in-one construction. Oil-only booms are built to absorb petroleum-derived fluids but resist water.



Part No.	Description
EV-20WBOOM515-S	Bilge Boom, 5" x 15" Single



MELTBLOWN, SONIC BONDED

Meltblown, Sonic Bonded pads are made by simply blowing the desired weight, then passing the sorbent through sonic heads. These sonic heads bond the fibres together at small points, giving the pads extra strength.

Part No.

Description

EV-3MBWPB-CTR

Pads, Meltblown, Sonic Bonded, Oil Only, Single-Weight

EV-2MBWPB-CTR

Pads, Meltblown, Sonic Bonded, Oil-Only, Medium-Weight

EV-2MBGPB-CTR

Pads, Meltblown, Sonic Bonded, Universal , Medium-Weight, Grey

EV-1MBYPB

Pads, Meltblown, Sonic Bonded, chemicals , Yellow

AIRMATRIX™

Airmatrix™ is ESP's premium oil-only synthetic sorbent technology. Made from 100% premium recycled polypropylene, it offers customers a high-tech synthetic alternative to traditional meltblown. Its unique features are exceptionally high water and chemical resistance, and superior liquid retention when compared to competitors' products. The high-quality recycled materials used, combined with ESP's unique manufacturing process, make this product a high-capacity sorbent that is also very soft and drapable.



Part No.

Description

EV-1AMWPL-HL

Pads, Airmatrix, Double Laminated, Oil Only, Single-Weight

SPILL KITS

The importance of a spill kit cannot be emphasized enough. Having the correct absorbents close at hand, in the right quantity and container is key to any successful spill recovery outcome.



Oil Only, Universal & Hazmat Kits Available

Part No.	Description
DS-CSK-VEH-0	Bag, Vehicle Spill Kit - Oil Only
DS-CSK-VEH-U	Bag, Vehicle Spill Kit - Universal
DS-CSK-VEH-H	Bag, Vehicle Spill Kit - Hazmat
DS-CSK5T	Pail, 5 Gallon Truck Spill Kit - Oil Only
DS-CSK5	Pail, 5 Gallon Spill Kit - Oil Only
DS-CSK5-U	Pail, 5 Gallon Spill Kit- Universal
DS-CSK5-H	Pail, 5 Gallon Spill Kit- Hazmat
DS-CSK20	Drum, 20 Gallon Overpack Spill Kit - Oil Only
DS-CSK20-U	Drum, 20 Gallon Overpack Spill Kit- Universal
DS-CSK20-H	Drum, 20 Gallon Overpack Spill Kit- Hazmat
DS-CSK30	Drum, 30 Gallon Overpack Spill Kit - Oil Only
DS-CSK30-U	Drum, 30 Gallon Overpack Spill Kit- Universal
DS-CSK30-H	Drum, 30 Gallon Overpack Spill Kit- Hazmat
DS-CSKDR 45	Drum, 45 Gallon Spill Kit - Oil Only
DS-CSKDR 45U	Drum, 45 Gallon Spill Kit - Universal
DS-CSKDR 45H	Drum, 45 Gallon Spill Kit- Hazmat
DS-CSK95	Drum, 95 Gallon Overpack Spill Kit- Oil Only
DS-CSK95-U	Drum, 95 Gallon Overpack Spill Kit- Universal
DS-CSK95-H	Drum, 95 Gallon Overpack Spill Kit- Hazmat

BOOM

ESP's unique Single Skin boom became the industry's gold standard throughout the Gulf of Mexico oil spill. All ESP's booms offer significantly better performance than traditional sock-in-net boom. Look out for 'land booms' which absorb both oil and water-based spills at the same time.



Part No.	Description
EV-4WBOOM510	Spaghetti Boom, 5" X 10' (4 pc)
EV-4WBOOM810	Spaghetti Boom, 8" X 10' (4 pc)

SOCKS

Our socks all feature a spun-bond outer skin with the Oil only socks featuring a recycled polypropylene core. Universal sock has a super absorbent flake core that will absorb both oil-based and water-based fluids.



Part No.	Description
EV-30WS34-SB	Socks, Oil Only, 3" x 4' (30 pc)
EV-30GS34-SB	Socks, Universal, 3" x 4' (30 pc)

PILLOWS

Pillows are ideal for absorbing spills or leaks that are too big for a pad or would require the pad to be replaced with much greater frequency. The pillow's fast-wicking large surface area helps reduce absorption times whilst its flexibility makes it easy to insert into difficult to reach spaces.



Part No.	Description
EV-10WPILL1818	Pillow, 18" x 18" (10 pc)

Protecting lives and the environment, together



**Sales and service depots throughout
Canada**



Distributed By:

FitzWright Survival Inc.

Burnaby, BC, Canada

Sales@FitzWright.com